GY GLASS SUBULADO

FIG. 1 (A)

$$C_8F_{17}$$
  $CH_3$   $C_8F_{17}$   $CH_2 - (Si(CH_2)_2) - CH_2$   $CH_2$   $O$  30  $CH_2$   $O$   $O$   $O$ 





FIG. 2



(B)

FIG. 3 (A)




FIG. 4 (A)

(B)




FIG. 5

199374WZ LODEO1

(A)

$$C_8F_{17}$$
  $C_4H_9$   
 $C_1H_2$   $C_1H_2$   
 $C_2H_2$   $C_1H_2$ 

(B)





FIG. 6



## FIG. 7

(A)

(B)




FIG. 8 (A)

D9937482 D92601

(B)





FIG. 9 (A)







FIG. 10 (A)

FIG. 11




F F F = 2

(B)

(B)

FIG. 12






FIG. 13

(A)

(1000)

(B)




FIG. 14

(A)

(A, CF<sub>2</sub> CF<sub>3</sub> CF CF<sub>2</sub> CH<sub>2</sub> CF<sub>3</sub> CH<sub>2</sub> -0-Si-O-

(B)



FIG. 15 (A)

C<sub>8</sub>F<sub>17</sub> CH<sub>2</sub> CH<sub>2</sub> -O-Si-O-




FIG. 16





FIG. 17






FIG. 19




FIG. 20

